

Mobil Delvac™ lubricant recommendations for MAN Trucks



Mobil Delvac™: a comprehensive range of engine and gear oils you can trust

Mobil Delvac is one of the best-selling brands of heavy duty oil in the world. A brand trusted by millions of truck owners, workshop managers and fleet professionals – including MAN.

MAN and Mobil Delvac share a long tradition of delivering just what the customer needs. A brand with an impeccable pedigree stretching back to 1925, Mobil Delvac is the specialist brand with an extensive range of lubricants and greases to meet your commercial vehicles needs.

Our commitment to extensive on-going research and development ensures Mobil Delvac stays at the forefront of lubrication technology and meets and exceeds the demands of today's heavy duty trucks.

Like MAN, we believe our customer's satisfaction and profitability is vital. Just as you depend on the outstanding performance of your MAN truck, you can depend on the specially selected family of Mobil Delvac products to help in the battle to achieve optimum operational efficiency.

Your investment in a premium brand like MAN needs to be protected. Mobil Delvac protects as it performs. Mobil Delvac formulations use powerful additive technologies and high quality base oils which together help to resist oil degradation, reduce engine wear and achieve long oil drain intervals. The goal is to help you to achieve long engine life.

Mobil Delvac offers a complete 'bumper to bumper' range of high performance products for your commercial vehicle, which are formulated not only to meet key MAN specifications, but also a wide range of OEM and industry approvals offering outstanding performance and protection in some of the most demanding conditions.

Whether you are an owner operator, fleet owner or workshop manager, you can entrust your MAN commercial vehicle lubrication to Mobil Delvac.



Mobil Delvac™ Engine Oils

Specifications	Engine Oil
MAN M 3677	Mobil Delvac 1 LE 5W-30
MAN M 3477	Mobil Delvac 1 LE 5W-30 Mobil Delvac XHP ESP 10W-40 Mobil Delvac XHP Ultra LE 5W-30
MAN M 3277	Mobil Delvac 1 SHC 5W-40 Mobil Delvac XHP Extra 10W-40 Mobil Delvac XHP Ultra 5W-30
MAN M 3277(CRT)	Mobil Delvac XHP ESP 10W-40
MAN M 3575	Mobil Delvac MX ESP 15W-40 Mobil Delvac MX ESP 10W-30
MAN M 3275-1	Mobil Delvac MX Extra 10W-40 Mobil Delvac MX 15W-40

Always consult OEM manuals for proper recommendation and oil drain interval which may depend on, for example, make, model, local variations, fuel sulfur and operating conditions. Mobil products are approved by the Truck Manufacturer against those specifications.



Mobil Delvac 1™ LE 5W-30

Advanced engine and emission system protection

- Fully synthetic supreme performance low ash diesel engine oil
- Helps extend engine and emission system life, long drain capability and fuel economy potential
- Suitable for engines fitted with Diesel Particulate Filters



Mobil Delvac 1™ SHC 5W-40

Advanced technology for extreme service conditions

- Fully synthetic diesel engine oil that provides excellent lubrication
- Provides protection helping towards long engine life
- Delivers exceptional performance in turbocharged as well as older naturally aspirated engines



Mobil Delvac™ XHP ESP 10W-40

Advanced engine and emission system protection

- Synthetic extra high performance diesel engine oil engineered to provide lubrication to low emissions engines
- Designed using high performance base oils which provide excellent low temperature fluidity, high temperature viscosity retention, volatility control and fuel economy potential
- Suitable for engines fitted with Diesel Particulate Filters



Mobil Delvac™ XHP Extra 10W-40

Synthetic performance for demanding conditions

- Synthetic performance for high output/low emission engines
- Provides extended drain capability
- Excellent protection for engines operating on high sulphur fuel



Mobil Transmission, Specialty and Ancillary Products

Specification	Mobil Products
MAN 341 Typ E3/Typ Z2	Mobilube 1 SHC 75W-90
MAN 342 Typ M3	Mobilube 1 SHC 75W-90 Mobilube HD-A Plus 80W-90
MAN 342 Typ M2	Mobil Delvac Synthetic Gear Oil 75W-90 Mobilube S 80W-90
MAN 342 Typ M1	Mobilube HD-A 85W-90
MAN 341 Typ E4	Mobil Delvac Synthetic Transmission Oil V30
MAN 341 Typ E3/Z4	Mobil Delvac XHP Transmission Oil 75W-80
MAN 341 Typ E2/Z2	Mobilube S 80W-90

Always consult OEM manuals for proper recommendation and oil drain interval which may depend on, for example, make, model, local variations and operating conditions. Mobil products are approved by the Truck Manufacturer against those specifications.

Mobilube1 SHC™ 75W-90

Advanced synthetic technology for transmissions and rear axles

- Extended service capability in a wide range of applications
- Provides good thermal and oxidation stability, inherently high VI, extremely low pour point, improved low temperature fluidity and fuel economy potential



Mobil Delvac™ Synthetic Transmission Oil V30

Fully synthetic, heavy duty manual transmission lubricant

- Formulated with an advanced additive system providing optimised protection against thermal degradation, oxidation, wear, and corrosion
- Holds a high viscosity index and synthetic base oil mixture, providing stronger film strength at higher temperatures than conventional oils
- Ensures effective lubrication at extremely low temperatures without oil channelling

Mobil Delvac™ XHP Transmission Oil 75W-80

Extra high performance synthetic blend manual transmission lubricant

- Engineered for the latest European heavy duty manual transmissions used in on highway commercial vehicles suitable for applications where severe low temperatures are found
- Designed using select base oils and an advanced additive package that enhances shifting performance, low temperature fluidity, and high temperature viscosity retention
- Formulated with extended performance reserve for applications requiring API GL-4 service

ExxonMobil

ExxonMobil Petroleum & Chemical BVBA

Hermeslaan 2
1831 Machelen
Belgium

©2015 Exxon Mobil Corporation
The Mobil Delvac and ExxonMobil logotypes are registered trademarks of Exxon Mobil Corporation or one of its subsidiaries.
The term "ExxonMobil" is used for convenience only and could refer to Exxon Mobil Corporation or one of its affiliates as the case may be.
Other logotypes and trademarks are the property of the respective owners.

Product information correct at the time of publication.

For more information visit us at www.mobildelvac.co.uk