

# Mobil Delvac™ Lubricant recommendations for Scania Trucks



## Mobil Delvac™: a comprehensive range of engine and gear oils you can trust

Mobil Delvac is one of the best-selling brands of heavy duty oil in the world. A brand trusted by millions of truck owners, workshop managers and fleet professionals – including Scania.

Scania and Mobil Delvac share a long tradition of delivering just what the customer needs. A brand with an impeccable pedigree stretching back to 1925, Mobil Delvac is the specialist brand with an extensive range of lubricants and greases to meet your commercial vehicles needs.

Our commitment to extensive on-going research and development ensures Mobil Delvac stays at the forefront of lubrication technology and meets and exceeds the demands of today's heavy duty trucks.

Like Scania, we believe our customer's satisfaction and profitability is vital. Just as you depend on the outstanding performance of your Scania truck, you can depend on the specially selected family of Mobil Delvac products to help in the battle to achieve optimum operational efficiency.

Your investment in a premium brand like Scania needs to be protected. Mobil Delvac protects as it performs. Mobil Delvac formulations use powerful additive technologies and high quality base oils which together help to resist oil degradation, reduce engine wear and achieve long oil drain intervals. The goal is to help you to achieve long engine life.

Mobil Delvac offers a complete 'bumper to bumper' range of high performance products for your commercial vehicle, which are formulated not only to meet key Scania specifications, but also a wide range of OEM and industry approvals offering outstanding performance and protection in some of the most demanding conditions.

Whether you are an owner operator, fleet owner or workshop manager, you can entrust your Scania commercial vehicle lubrication to Mobil Delvac.




## Mobil Delvac™ Engine Oils

Applications	Engine Oil
Where Scania Low Ash* approval required	Mobil Delvac XHP ESP 10W-40 Mobil Delvac 1 LE 5W-30
Euro 4/5 engines extended ODI (LDF-3)*	Mobil Delvac XHP Extra 10W-40
Euro 4/5 engines normal ODI	Mobil Delvac MX Extra 10W-40 Mobil Delvac MX 15W-40
Euro 2/3 engines extended ODI (LDF)*	Mobil Delvac 1 5W-40
Euro 2/3 engines normal ODI	Mobil Delvac MX 15W-40

Always consult OEM manuals for proper recommendation and oil drain interval which may depend on, for example, make, model, local variations, fuel sulfur and operating conditions.

\*Mobil products are approved by the Truck Manufacturer against those specifications.



### Mobil Delvac 1™ 5W-40

#### Ultimate engine protection and engine long life

- State-of-the-art technology to deliver exceptional performance in modern low emission engines
- Advanced formulation and viscometrics with potential to improve fuel economy and maximize oil drain intervals
- Outstanding high and low temperature protection



### Mobil Delvac™ XHP ESP 10W-40

#### Advanced engine and emission system protection

- Synthetic extra high performance diesel engine oil engineered to provide lubrication to low emissions engines
- Designed using high performance base oils which provide excellent low temperature fluidity, high temperature viscosity retention, volatility control and fuel economy potential
- Suitable for engines fitted with Diesel Particulate Filters



### Mobil Delvac™ XHP Extra 10W-40

#### Synthetic performance for demanding conditions

- Synthetic performance for high output/low emission engines
- Provides extended drain capability
- Excellent protection for engines operating on high sulphur fuel



## Mobil Transmission, Specialty and Ancillary Products

Application	Gear Oil
STO 1:0 Gearbox Oil	Mobilube 1 SHC 75W-90 Mobilube S 80W-90 Mobil Delvac Synthetic Gear Oil 75W-90 Mobil Delvac HD-A Plus 80W-90 Mobil Delvac HD-N 80W-140
STO 1:0 Axle Oil	Mobil Delvac Synthetic Gear Oil 75W-140 Mobil Delvac Synthetic Gear Oil 75W-90
STO 2:0 Axle Oil	Mobil Delvac Synthetic Gear Oil 75W-140 Mobil Delvac Synthetic Gear Oil 75W-90

Always consult OEM manuals for proper recommendation and oil drain interval which may depend on, for example, make, model, local variations and operating conditions.

Mobil products meet and exceed the requirements of those Scania specifications.

### Mobilube 1 SHC™ 75W-90

#### Advanced synthetic technology for transmissions and rear axles

- Extended service capability in a wide range of applications
- Provides good thermal and oxidation stability, inherently high VI, extremely low pour point, excellent low temperature fluidity and fuel economy potential

### Mobil Delvac™ Synthetic Gear Oil 75W-140

#### Fully synthetic transmission and axle oil

- For vehicles operating in severe service conditions
- Provides protection against thermal degradation and oxidation, reduced wear and corrosion
- Incorporates the latest technology in synthetic basestocks and advanced additives providing significant advantages over mineral gear oils

### Mobil Delvac™ Synthetic Gear Oil 75W-90

#### Fully synthetic rear axle lubricant

- For vehicles operating in severe service conditions
- Provides protection against thermal degradation and oxidation, reduced wear and corrosion
- Incorporates the latest technology in synthetic basestocks and advanced additives providing significant advantages over mineral gear oils





ExxonMobil Petroleum & Chemical BVBA

Hermeslaan 2  
1831 Machelen  
Belgium

©2015 Exxon Mobil Corporation  
The Mobil Delvac and ExxonMobil logotypes are registered trademarks of Exxon Mobil Corporation or one of its subsidiaries.  
The term "ExxonMobil" is used for convenience only and could refer to Exxon Mobil Corporation or one of its affiliates as the case may be.  
Other logotypes and trademarks are the property of the respective owners.

Product information correct at the time of publication.

For more information visit us at [www.mobildelvac.com](http://www.mobildelvac.com)