

Mobil Delvac™ lubricant recommendations for Volvo Trucks and Commercial Vehicles



Mobil Delvac™: a comprehensive range of engine and gear oils you can trust

The development and performance of heavy duty and light commercial truck engines is continually evolving, to meet ever increasing demands for more power, increased efficiency and to meet exacting global legislative and environmental requirements, particularly with respect to emission control.

Volvo Truck has recognised our increased dedication to the commercial vehicle transportation of goods and cargo around the globe.

Volvo Truck and Mobil Delvac – a brand with a pedigree stretching back to 1925 – are equally focused on meeting their customers' needs by continual development and investment, operational excellence, and industry-leading technology to provide industry leading, excellent products and services.

Mobil Delvac lubricants are rigorously tested against Volvo Truck specifications, and joint development programs ensure that current and next generations of Mobil Delvac lubricants meet and often exceed Volvo Truck's exacting requirements.

Our ongoing technical co-operation program with Volvo Trucks means that Volvo customers can be assured of the highest quality and operational reliability of the Mobil Delvac range of high performance synthetic and mineral lubricants, high performance greases and niche products.

Mobil Delvac offers a complete 'bumper to bumper' range of high performance products for your commercial vehicle, which are formulated not only to meet key Volvo specifications, but also a wide range of OEM and industry approvals offering outstanding performance and protection in the most demanding conditions.

Whether you are an owner operator, fleet owner or workshop manager, you can entrust your Volvo commercial vehicle lubrication to Mobil Delvac.



Mobil Delvac™ Engine Oils

Specifications	Engine Oil
VDS-4	Mobil Delvac 1 LE 5W-30 Mobil Delvac MX ESP 10W-30 Mobil Delvac MX ESP 15W-40 Mobil Delvac XHP ESP 10W-40
VDS-3	Mobil Delvac 1 LE 5W-30 Mobil Delvac 1 5W-40 Mobil Delvac XHP ESP 10W-40 Mobil Delvac MX 15W-40 Mobil Delvac MX Extra 10W-40 Mobil Delvac XHP Extra 10W-40 Mobil Delvac MX ESP 15W-40 Mobil Delvac MX ESP 10W-30
VDS-2*	Mobil Delvac 1 SHC 5W-40 Mobil Delvac MX 15W-40 Mobil Delvac 1 5W-40 Mobil Delvac XHP Extra 10W-40 Mobil Delvac MX Extra 10W-40 Mobil Delvac MX ESP 15W-40 Mobil Delvac XHP 15W-40 Mobil Delvac Super 1400 10W-30

Please refer to your specific OEM manual for full product recommendation listings and applicable oil drain intervals.

Mobil products are approved by the Truck Manufacturer against those specifications. (VDS-4, VDS-3)

*Recommended by ExxonMobil for applications requiring

Mobil Delvac 1™ LE 5W-30



Advanced engine and emission system protection



- Fully synthetic supreme performance low ash diesel engine oil
- Helps extend engine and emission system life, long drain capability and fuel economy potential
- Suitable for engines fitted with Diesel Particulate Filters

Mobil Delvac 1™ 5W-40

Ultimate engine protection and engine long life

- State-of-the-art technology to deliver exceptional performance in modern low emission engines
- Advanced formulation and viscometrics with potential to improve fuel economy and maximize oil drain intervals
- Outstanding high and low temperature protection

Mobil Delvac™ XHP ESP 10W-40

Advanced engine and emission system protection

- Synthetic extra high performance diesel engine oil engineered to provide lubrication to low emissions engines
- Designed using high performance base oils which provide excellent low temperature fluidity, high temperature viscosity retention, volatility control and fuel economy potential
- Suitable for engines fitted with Diesel Particulate Filters



Mobil Transmission, Specialty and Ancillary Products

Specification	Mobil Products
Transmission Oil 97307 ¹	Mobil Delvac Synthetic Transmission Oil V30
Transmission Oil 97312 ¹	Mobil Delvac Synthetic Gear Oil 75W-90
API GL-5 ²	Mobilube HD 85W-140
Hydraulic Oil	Nuto H 32

¹ Mobil products approved by the Truck Manufacturer against those specifications.

² Mobil product meets or exceeds the requirements of this specification.

Please refer to your specific OEM manual for full product recommendation listings and applicable oil drain intervals. Product information correct at the time of publication.

Mobil Delvac™ MX ESP 10W-30

Delivering performance beyond the boundaries of industry of API CJ-4 requirements

- Excellent pumpability helps engine protection at (cold temperature) start-up and provides fuel economy potential
- Provides excellent control of oil thickening due to soot build-up and TBN retention for long drain intervals
- Suitable for engines fitted with Diesel Particulate Filters

Mobil Delvac™ Synthetic Transmission Oil V30

Fully synthetic, heavy duty manual transmission lubricant

- Formulated with an advanced additive system providing optimised protection against thermal degradation, oxidation, wear, and corrosion
- Holds a high viscosity index and synthetic base oil mixture, providing stronger film strength at higher temperatures than conventional oils
- Ensures effective lubrication at extremely low temperatures without oil channelling

Mobil Delvac™ Synthetic Gear Oil 75W-90

Fully synthetic rear axle lubricant

- For vehicles operating in severe service conditions
- Provides protection against thermal degradation and oxidation, reduced wear and corrosion
- Incorporates the latest technology in synthetic basestocks and advanced additives providing significant advantages over mineral gear oils





ExxonMobil Petroleum & Chemical BVBA

Hermeslaan 2
1831 Machelen
Belgium

©2015 Exxon Mobil Corporation
The Mobil Delvac and ExxonMobil logotypes are registered trademarks of Exxon Mobil Corporation or one of its subsidiaries.
The term "ExxonMobil" is used for convenience only and could refer to Exxon Mobil Corporation or one of its affiliates as the case may be.
Other logotypes and trademarks are the property of the respective owners.

Product information correct at the time of publication.

For more information visit us at www.mobildelvac.co.uk